This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
1	35	(US-6658600-\$ or US-5978902-\$ or US-5889988-\$ or US-4993027-\$ or US-5630049-\$ or US-6694510-\$ or US-6601184-\$ or US-6370660-\$ or US-5909544-\$ or US-6158045-\$ or US-5911059-\$ or US-6324683-\$ or US-6411616-\$ or US-6131163-\$ or US-64116768-\$ or US-6052803-\$ or US-5935262-\$ or US-5537550-\$ or US-6404861-\$ or US-6334153-\$ or US-5867714-\$ or US-5611044-\$ or US-5209089-\$ or US-6675218-\$ or US-5721876-\$ or US-6243753-\$).did. or (US-20030005417-\$ or US-20020156613-\$ or US-20040064764-\$ or US-20020152305-\$ or US-2002019891-\$ or US-20020174227-\$).did. or (US-4993027-\$).did. or (US-4993027-\$).did.	USPAT; US-PGPUB; DERWENT	2004/06/17
2	6	((US-6658600-\$ or US-5978902-\$ or US-5889988-\$ or US-4993027-\$ or US-5630049-\$ or US-6694510-\$ or US-6601184-\$ or US-6370660-\$ or US-5909544-\$ or US-6158045-\$ or US-5911059-\$ or US-6324683-\$ or US-6411616-\$ or US-6131163-\$ or US-6411616-\$ or US-6052803-\$ or US-5935262-\$ or US-5537550-\$ or US-6404861-\$ or US-6334153-\$ or US-5867714-\$ or US-5611044-\$ or US-6209089-\$ or US-6675218-\$ or US-5721876-\$ or US-6243753-\$).did. or (US-20030005417-\$ or US-20020156613-\$ or US-20040064764-\$ or US-20020152305-\$ or US-2002019891-\$ or US-20020174227-\$).did. or (US-4993027-\$).did.) and "shared memory"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17
3	12152	((717/124,135,172) or (714/4,25,29,38,47,49) or (713/201,208) or (709/208,224,226) or (712/227)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/17 09:43
	58	(@ad<=20010703 or @rlad<=20010703) and ((transport or protocol or message) adj2 (stack or queue)) and (debug\$5 same kernel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/15 14:45
	31	((@ad<=20010703 or @rlad<=20010703) and ((transport or protocol or message) adj2 (stack or queue)) and (debug\$5 same kernel)) and (protocol adj stack)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 11:47
	1	(((@ad<=20010703 or @rlad<=20010703) and ((transport or protocol or message) adj2 (stack or queue)) and (debug\$5 same kernel)) and (protocol adj stack)) and (kernel near8 debug\$5).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 11:08
-	32	(kernel near8 debug\$5).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14
	1	(((kernel near8 debug\$5).ab.) and (@ad<=20010703 or @rlad<=20010703)) and ((@ad<=20010703 or @rlad<=20010703) and ((transport or protocol or message) adj2 (stack or queue)) and (debug\$5 same kernel))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 11:48

				· · · · · · · · · · · · · · · · · · ·
-	29	((kernel near8 debug\$5).ab.) and (@ad<=20010703 or @rlad<=20010703)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/14 13:53
-	29	((kernel near8 debug\$5).ab.) and (@ad<=20010703 or @rlad<=20010703)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/14 13:53
-	6	(((kernel near8 debug\$5).ab.) and (@ad<=20010703 or @rlad<=20010703)) and (message or ((transport or transmi\$5) near8 protocol))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/14 14:00
_	31	4993027.URPN.	USPAT	2004/06/14
_	33	(interface adj3 card) and ((message or host) same (rout\$4 or protocol or port)) and ((kernal or kernel) near9 debug\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/14 16:23
_	3114	(@ad<=20010703 or @rlad<=20010703) and ((transport or protocol or message) adj2 (stack or queue)) and (host same (traffic or message or packet or communic\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/14 14:05
-	3	<pre>((interface adj3 card) and ((message or host) same (rout\$4 or protocol or port)) and ((kernal or kernel) near9 debug\$4)) and ((@ad<=20010703 or @rlad<=20010703) and ((transport or protocol or message) adj2 (stack or queue)) and (host same (traffic or message or packet or communic\$5)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 14:39
-	1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/14 14:39
-	4	Lopez.in. and (debug near5 kernel).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/14 15:25
	1	Hitachi.as. and (debug near8 kernel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/14 15:59
_	1	<pre>debug.ab. and (network same (messag\$3 or port)) and ((host and target) near8 ((communication or connecting) adj3 (interface or unit or card)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/14 16:03
_	36	5630049.URPN.	USPAT	2004/06/14 16:03
-	2	(debug\$4 or test\$4 or emulat\$4 or simulat\$4).ab. and (network same (messag\$3 or port)) and ((host and target) near8 ((communication or connecting) adj3 (interface or unit or card)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 16:03
-	1	5630049.URPN. and (interface near9 (connect\$5 or unit)) and ((message or host) same (rout\$4 or protocol or port)) and ((kernal or kernel) near9 debug\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/14 16:26

	·			
mann.	2	5630049.URPN. and (interface near9	USPAT;	2004/06/14
		(connect\$5 or unit or module)) and	US-PGPUB;	16:39
		((network or message or host) same (rout\$4 or protocol or port or	EPO; JPO; DERWENT;	
		communicat\$5)) and ((kernal or kernel)	IBM TDB	
		near9 debug\$4)	1511_155	
_	0	6694510.URPN.	USPAT	2004/06/14
				16:36
-	8	("5630049" "5889988" "5956479"	USPAT	2004/06/14
		"6158045" "6205494" "6272499"		16:36
		"6370660" "6564369").PN.	******	0004/06/14
_	0	4993027.URPN. and (interface near9 (connect\$5 or unit or module)) and	USPAT;	2004/06/14 16:40
		((network or message or host) same	US-PGPUB; EPO; JPO;	16:40
		(rout\$4 or protocol or port or	DERWENT;	
		communicat\$5)) and ((kernal or kernel)	IBM TDB	
		near9 debug\$4)	_	
-	1	5630049.URPN. and (((interface adj3 card)	USPAT;	2004/06/14
		and ((message or host) same (rout\$4 or	US-PGPUB;	16:41
		protocol or port)) and ((kernal or	EPO; JPO;	
		kernel) near9 debug\$4)) or ((@ad<=20010703 or @rlad<=20010703) and	DERWENT; IBM TDB	
		((transport or protocol or message) adj2		
		(stack or queue)) and (host same (traffic		
		or message or packet or communic\$5))))		
-	4	6094730.URPN.	USPAT	2004/06/14
		(#5000650#) #5005510# #5106750#	Han y m	16:47
_	10	("5220658" "5325512" "5426759" "5463760" "5546562" "5630052"	USPAT	2004/06/14 16:48
		"5640542" "5802347" "5862148"		10.40
		3640342 3602347 3602146		
_	1	(("5220658" "5325512" "5426759"	USPAT;	2004/06/14
	İ	"5463760" "5546562" "5630052"	US-PGPUB;	16:48
		"5640542" "5802347" "5862148"	EPO; JPO;	
		"5911059").PN.) and kernel and network	DERWENT;	
		//www.ta.waawo.dahwatti ah ay /wawata	IBM_TDB USPAT;	2004/06/15
_	9	((remote near8 debug\$5).ab. or (remote near8 debug\$4).clm.) and ((network or	US-PGPUB;	09:39
		stack or queue) near4 (protocol or	EPO; JPO;	05.35
		message or (interface adj2 (card or unit	DERWENT;	
		or module)))) and ("operating system" or	IBM_TDB	
		kernel)		0004/05/55
-	4	(((remote near8 debug\$5).ab. or (remote	USPAT;	2004/06/15
		near8 debug\$4).clm.) and ((network or	US-PGPUB; EPO; JPO;	10:07
		stack or queue) near4 (protocol or message or (interface adj2 (card or unit	DERWENT;	
		or module)))) and ("operating system" or	IBM TDB	
		kernel)) and (@ad<=20010703 or		
		@rlad<=20010703) not Hewlett.as.		
-	36	5630049.URPN.	USPAT	2004/06/15
	,	[C20040 UDDN	IICDAM.	09:54
	\downarrow 1	5630049.URPN. and network and (debug near3 message)	USPAT; US-PGPUB;	09:58
	1	Incara message/	EPO; JPO;	3.30
			DERWENT;	
			IBM_TDB	
-	152		USPAT;	2004/06/15
		kernel))).clm. and ((network or TCP/IP or	US-PGPUB;	09:59
		OSI) near2 protocol)	EPO; JPO;	
			DERWENT; IBM TDB	
	1	(debug\$4 near8 (server near3 (kernal or	USPAT;	2004/06/15
	1	kernel))).clm. and ((network or TCP/IP or	US-PGPUB;	09:59
		OSI) near2 protocol)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/06/35
-	1	(debug\$4 near8 (server near3 (kernal or kernel))).clm. and ((debug\$4 (server	USPAT; US-PGPUB;	2004/06/15
		kernel))).clm. and ((debug\$4 (server near3 (kernal or kernel))).clm. and	EPO; JPO;	10.00
		((network or TCP/IP or OSI) near2	DERWENT;	
		protocol))	IBM_TDB	
		1 F		

-	1	((debug\$4 near8 (server near3 (kernal or	USPAT;	2004/06/15
		kernel))).clm. and ((network or TCP/IP or	US-PGPUB;	10:01
		OSI) near2 protocol)) or ((debug\$4 near8	EPO; JPO;	
		(server near3 (kernal or kernel))).clm. and ((debug\$4 (server near3 (kernal or	DERWENT;	
		kernel))).clm. and ((network or TCP/IP or	IBM_TDB	
	İ	OSI) near2 protocol)))		
_	1059	((network adj interface) near2 card) and	USPAT;	2004/06/15
		((OSI or protocol or TCP/IP) near2 stack)	US-PGPUB;	14:49
		((obt of proceeds of ferfit) heatz stack)	EPO; JPO;	14.49
			DERWENT;	
			IBM TDB	
-	2	(((network adj interface) near2 card) and	USPAT;	2004/06/15
		((OSI or protocol or TCP/IP) near2	US-PGPUB;	10:05
		stack)) and (717/\$ or 714/\$) and (debug\$5	EPO; JPO;	
		or test\$3).ab.	DERWENT;	
			IBM_TDB	
_	514	(((network adj interface) near2 card) and	USPAT;	2004/06/15
		((OSI or protocol or TCP/IP) near2	US-PGPUB;	10:50
		stack)) and (message near5 (communicat\$6	EPO; JPO;	
		or transmi\$6 or rout\$4 or deliver\$5)) and	DERWENT;	
_	10	(protocol near2 stack)	IBM_TDB	
	18	((((network adj interface) near2 card)	USPAT;	2004/06/15
		and ((OSI or protocol or TCP/IP) near2 stack)) and (message near5 (communicat\$6	US-PGPUB;	10:09
		or transmi\$6 or rout\$4 or deliver\$5)) and	EPO; JPO;	
		(protocol near2 stack)) and	DERWENT; IBM TDB	
		(@ad<=20010703 or @rlad<=20010703) and	IBM_IDB	
		(host near2 (server or client)) and		
		((troubleshoot\$4 or test\$3 or debug\$4)		
		near2 (message or stream or packet))	·	
_	9	(((((network adj interface) near2 card)	USPAT;	2004/06/15
		and ((OSI or protocol or TCP/IP) near2	US-PGPUB;	10:52
		stack)) and (message near5 (communicat\$6	EPO; JPO;	
		or transmi\$6 or rout\$4 or deliver\$5)) and	DERWENT;	
		(protocol near2 stack)) and	IBM TDB	
		(@ad<=20010703 or @rlad<=20010703) and	_	
	}	(host near2 (server or client)) and		
Ì		((troubleshoot\$4 or test\$3 or debug\$4)		
		near2 (message or stream or packet))) and		
		((request\$3 or messag\$3) near5 (test\$4 or		
	142	debug\$4 or troubleshoot\$4))		
	142	(((network adj interface) near2 card) same ((protocol or TCP/IP) near2 stack))	USPAT;	2004/06/15
		and (message near5 (communicat\$6 or	US-PGPUB;	14:43
		transmi\$6 or rout\$4 or deliver\$5))	EPO; JPO;	
		aramamita of forchi of delinethall	DERWENT; IBM TDB	
-	100	(remote near3 debug\$4) and (interface	USPAT;	2004/06/15
		adj2 (card module or unit))	US-PGPUB;	14:44
		,	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	146	(remote\$3 near3 debug\$4) and (interface	USPAT;	2004/06/15
		adj2 (card or module or unit))	US-PGPUB;	16:51
			EPO; JPO;	
			DERWENT;	
	2.5		IBM_TDB	
	39	((remote\$3 near3 debug\$4) and (interface	USPAT;	2004/06/15
		adj2 (card or module or unit))) and	US-PGPUB;	17:00
		(@ad<=20010703 or @rlad<=20010703) and	EPO; JPO;	
		((transport or protocol or message or	DERWENT;	
_	36	TCP/IP) adj2 (stack or queue)) (((remote\$3 near3 debug\$4) and (interface	IBM_TDB	2004/06/15
	30	adj2 (card or module or unit))) and	USPAT; US-PGPUB;	2004/06/15 14:46
		(@ad<=20010703 or @rlad<=20010703) and	EPO; JPO;	14.40
		((transport or protocol or message or	DERWENT;	
		TCP/IP) adj2 (stack or queue))) and	IBM TDB	
		(network same message)		
	·	·		

_	36	((((remote\$3 near3 debug\$4) and (interface adj2 (card or module or	USPAT; US-PGPUB;	2004/06/15 14:46
		unit))) and (@ad<=20010703 or	EPO; JPO;	11.10
		@rlad<=20010703) and ((transport or	DERWENT;	
		protocol or message or TCP/IP) adj2	IBM_TDB	
		(stack or queue))) and (network same		
	,	message)) not Hewlett.as.		0004/06/15
_	1	(((((remote\$3 near3 debug\$4) and (interface adj2 (card or module or	USPAT; US-PGPUB;	2004/06/15
		unit))) and (@ad<=20010703 or	EPO; JPO;	14.40
		@rlad<=20010703) and ((transport or	DERWENT;	
		protocol or message or TCP/IP) adj2	IBM TDB	
		(stack or queue))) and (network same	_	
		message)) not Hewlett.as.) and (717/\$ or		
_	18	714/\$) ("4322813" "4339657" "4507751"	HCDAM	2004/06/15
	10	(4322613	USPAT	2004/06/15 14:48
		"5193152" "5200958" "5220674"		14.40
		"5270725" "5295244" "5361265"		
	1	"5402361" "5414494" "5533193"		
		"5537550" "5537626" "5638508").PN.		
-	1059	((network adj interface) near2 card) and	USPAT;	2004/06/15
		((OSI or protocol or TCP/IP) near2 stack)	US-PGPUB;	14:49
			EPO; JPO; DERWENT;	
			IBM TDB	
_	2	(("4322813" "4339657" "4507751"	USPAT;	2004/06/15
		"4926347" "5027154" "5049873"	US-PGPUB;	14:50
		"5193152" "5200958" "5220674"	EPO; JPO;	
		"5270725" "5295244" "5361265"	DERWENT;	
		"5402361" "5414494" "5533193" "5537550" "5537626" "5638508").PN.)	IBM_TDB	
		and (((network adj interface) near2 card)		
		and ((OSI or protocol or TCP/IP) near2		
		stack))		
-	26		USPAT;	2004/06/15
		((OSI or protocol or TCP/IP) near2 stack)	US-PGPUB;	15:02
) and (debug near5 (message or command or instruction))	EPO; JPO;	
		Instruction)	DERWENT; IBM TDB	
-	10	((((network adj interface) near2 card)	USPAT;	2004/06/15
		and ((OSI or protocol or TCP/IP) near2	US-PGPUB;	16:02
		stack)) and (debug near5 (message or	EPO; JPO;	
		command or instruction))) and	DERWENT;	
		(@ad<=20010703 or @rlad<=20010703) and	IBM_TDB	
_	10	((host or server) same debug\$5) (((((network adj interface) near2 card)	USPAT;	2004/06/15
	10	and ((OSI or protocol or TCP/IP) near2	US-PGPUB;	15:11
		stack)) and (debug near5 (message or	EPO; JPO;	
		command or instruction))) and	DERWENT;	
		(@ad<=20010703 or @rlad<=20010703) and	IBM_TDB	
		((host or server) same debug\$5)) not		
_	2	Hewlett.as. 20020133593.pn.	USPAT;	2004/06/15
		20020100000.pm.	US-PGPUB;	15:50
			EPO; JPO;	
			DERWENT;	
			IBMTDB	
-	3	(debug near8 kernel) and (interface adj2	USPAT;	2004/06/15
]	<pre>card) and message and (network or TCP/IP or protocol)</pre>	US-PGPUB;	16:02
		or brococol)	EPO; JPO; DERWENT;	
			IBM TDB	
_	3	((debug near8 kernel) and (interface adj2	USPAT;	2004/06/15
		card) and message and (network or TCP/IP	US-PGPUB;	16:03
		or protocol)) not Hewlett.as.	EPO; JPO;	
			DERWENT;	
L.,	<u> </u>		IBM_TDB	

-	3	(debug near8 kernel) and (interface adj2 card) and message	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/15 16:35
			IBM TDB	
-	15	(debug\$5 near8 kernel) and (interface adj2 card) and message	USPAT; US-PGPUB; EPO; JPO;	2004/06/15 16:02
			DERWENT; IBM TDB	
_	10	((debug\$5 near8 kernel) and (interface	USPAT;	2004/06/15
		adj2 card) and message) and (@ad<=20010703 or @rlad<=20010703) not ((debug near8 kernel) and (interface adj2	US-PGPUB; EPO; JPO; DERWENT;	16:03
-		card) and message)	IBM_TDB	
-	9	(((debug\$5 near8 kernel) and (interface	USPAT; US-PGPUB;	2004/06/15 16:03
		adj2 card) and message) and (@ad<=20010703 or @rlad<=20010703) not ((debug near8 kernel) and (interface adj2	EPO; JPO; DERWENT;	16.03
_	1	card) and message)) not Hewlett.as. (((debug\$5 near8 kernel) and (interface	IBM_TDB USPAT;	2004/06/15
		adj2 card) and message) and (@ad<=20010703 or @rlad<=20010703) not ((debug near8 kernel) and (interface adj2	US-PGPUB; EPO; JPO; DERWENT;	16:03
		card) and message)) not ((((debug\$5 near8 kernel) and (interface adj2 card) and message) and (@ad<=20010703 or @rlad<=20010703) not ((debug near8 kernel) and (interface adj2 card) and	IBM_TDB	
		message)) not Hewlett.as.)		
_	4	5611044.URPN.	USPAT	2004/06/15 16:04
_	3	(debug near8 kernel) and (interface adj2 card) and message	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/15
			IBM TDB	
-	74	5867714.URPN.	USPĀT	2004/06/15 16:37
-	1	(5867714.URPN. and (interface adj3 (unit or module or card or board))) and (5867714.URPN. and network and ((test\$4 or debug\$4) same (kernel or 'operating	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/15 16:40
		system')))	IBM_TDB	
-	15	5867714.URPN. and (interface adj3 (unit or module or card or board))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/15
	25.6		IBM_TDB	2004/05/05
_	356	<pre>(debug5 near5 (command or instruction)) and kernel.ab. or kernel.clm. and (network same protocol)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/15
_	12513	NIC or "network interface card"	IBM_TDB USPAT; US-PGPUB;	2004/06/15 16:59
			EPO; JPO; DERWENT; IBM_TDB	
-	99	(NIC or "network interface card") and ((server or remote\$3 or kernel) near3 debug\$4) and (interface adj2 (card or module or unit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/15 16:52
-	2	((debug5 near5 (command or instruction)) and kernel.ab. or kernel.clm. and (network same protocol)) and ((NIC or "network interface card") and ((server or remote\$3 or kernel) near3 debug\$4) and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/15 16:58
		(interface adj2 (card or module or unit)))		

				1
_	3	("5548731" "5721876" "6148336" "2001/0027496").PN.	USPAT	2004/06/15 16:54
-	7	5867714.URPN. and network and ((test\$4	USPAT;	2004/06/15
		or debug\$4) same (kernel or 'operating	US-PGPUB;	16:57
		system'))	EPO; JPO; DERWENT;	
			IBM_TDB	
_	78	((debug5 near5 (command or instruction))	USPAT;	2004/06/15
		and kernel.ab. or kernel.clm. and (network same protocol)) and debug\$5	US-PGPUB; EPO; JPO;	16:58
		(network bake protessor), and debugge	DERWENT;	
			IBM_TDB	0004/05/45
_	15	(((debug5 near5 (command or instruction)) and kernel.ab. or kernel.clm. and	USPAT; US-PGPUB;	2004/06/15 16:59
		(network same protocol)) and debug\$5) and	EPO; JPO;	10.05
		network and (interface adj2 card)	DERWENT;	
_	12	((((debug5 near5 (command or	IBM_TDB USPAT;	2004/06/16
	12	instruction)) and kernel.ab. or	US-PGPUB;	11:07
		kernel.clm. and (network same protocol))	EPO; JPO;	
		and debug\$5) and network and (interface adj2 card)) and (@ad<=20010703 or	DERWENT; IBM TDB	
		@rlad<=20010703) and (transport or	1211_122	
	1.7	protocol or message or TCP/IP)		0000106116
_	17	(kernel same debug\$5).ti.	USPAT; US-PGPUB;	2004/06/16
			EPO; JPO;	11.00
			DERWENT;	
_	13	((kernel same debug\$5).ti.) and	IBM TDB USPAT;	2004/06/16
		(@ad<=20010703 or @rlad<=20010703)	US-PGPUB;	11:34
			EPO; JPO;	
			DERWENT; IBM TDB	
_	2	(((kernel same debug\$5).ti.) and	USPAT;	2004/06/16
		(@ad<=20010703 or @rlad<=20010703)) and (US-PGPUB;	11:10
		((network adj interface) near2 card) or ((protocol or TCP/IP) near2 stack) or	EPO; JPO; DERWENT;	
		(message near5 (communicat\$6 or transmi\$6	IBM_TDB	
	11	or rout\$4 or deliver\$5))) (((kernel same debug\$5).ti.) and	HCDAT.	2004/06/16
_	11	((Refrief Same debdg\$3).tf.) and (@ad<=20010703 or @rlad<=20010703)) not	USPAT; US-PGPUB;	11:15
		((((kernel same debug\$5).ti.) and	EPO; JPO;	
		(@ad<=20010703 or @rlad<=20010703)) and (((network adj interface) near2 card) or	DERWENT; IBM TDB	
		((protocol or TCP/IP) near2 stack) or	154_155	
		(message near5 (communicat\$6 or transmi\$6		
_	11	or rout\$4 or deliver\$5)))) (((kernel same debug\$5).ti.) and	USPAT;	2004/06/16
		((kerner same debdgy3).tr.) and (@ad<=20010703 or @rlad<=20010703)) and	US-PGPUB;	11:23
		(debug\$5).ab.	EPO; JPO;	
			DERWENT; IBM TDB	
_	13	(US-6243753-\$ or US-6334153-\$ or	USPAT;	2004/06/16
		US-6411616-\$ or US-6675218-\$ or	US-PGPUB	11:27
		US-6052803-\$ or US-6118768-\$ or US-5537550-\$ or US-5611044-\$ or		
		US-5867714-\$ or US-5935262-\$).did. or		
		(US-20020152305-\$ or US-20020156613-\$ or		
_	1	US-20020194389-\$).did. ((US-6243753-\$ or US-6334153-\$ or	USPAT;	2004/06/16
		US-6411616-\$ or US-6675218-\$ or	US-PGPUB;	11:32
		US-6052803-\$ or US-6118768-\$ or US-5537550-\$ or US-5611044-\$ or	EPO; JPO; DERWENT;	
		US-5867714-\$ or US-5935262-\$).did. or	IBM TDB	
		(US-20020152305-\$ or US-20020156613-\$ or	_	
		US-20020194389-\$).did.) and ((debug\$5 same message) or debug\$4.ab.)		
L	l	Jame message, or depugya.an.,	i	L

	·			
-	1	((US-6243753-\$ or US-6334153-\$ or	USPAT;	2004/06/16
	}	US-6411616-\$ or US-6675218-\$ or	US-PGPUB;	11:34
		US-6052803-\$ or US-6118768-\$ or	EPO; JPO;	
		US-5537550-\$ or US-5611044-\$ or	DERWENT;	
		US-5867714-\$ or US-5935262-\$).did. or	IBM TDB	
		(US-20020152305-\$ or US-20020156613-\$ or		
		US-20020194389-\$).did.) and (Jackson or	•	
		Jagtap or Qiu).in.		
-	17	(information near2 management).clm. and	USPAT;	2004/06/16
		(Jackson or Jagtap or Qiu).in.	US-PGPUB;	11:34
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	15	((information near2 management).clm. and	USPAT;	2004/06/16
1		(Jackson or Jagtap or Qiu).in.) and	US-PGPUB;	11:38
		(@ad<=20010703 or @rlad<=20010703)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2	(((information near2 management).clm. and	USPAT;	2004/06/16
	_	(Jackson or Jagtap or Qiu).in.) and	US-PGPUB;	11:38
		(@ad<=20010703 or @rlad<=20010703)) and	EPO; JPO;	11.50
		(debug\$4 same message)	DERWENT;	
		(acaugy 1 Dame meddage)		
	L		IBM TDB	